

**Lexington LED Ceiling Flush**

Lexington LED Ceiling Flush Series features a low profile bowl and is available in two diameters with a triple rod drop design.

Catalog #		Type
Project		LED Ceiling Flush
Comments		
Prepared By		Date

**EVERGREEN LIGHTING**

**SPECIFICATION FEATURES**

**Material**

Aluminum round tube construction with an aluminum spun canopy for standard powdercoat finish or polished brass plated finish with a frosted white acrylic bowl.

**Installation**

Supplied with standard mounting hardware to mount to a 4" J-box or plaster ring

**Optics**

Evergreen Lighting Website for complete photometrics.

**LED**

Alta #AL-R-1W-30 LED array to be mounted onto an Aluminum MPCB Board configured to the proper wattage. The LED arrays will be centered within the Lens area and mounted on a decorative white aluminum reflective plate.

**Driver**

Specific Drivers will be matched with each different LED array configuration/wattage. Standard Driver features are:

- Constant Current
- 3 or 5 year warranty
- 120/277 multi voltage power supply
- IP66, IP67



16" diameter X 7"H on bowl

23" diameter X 10"H on bowl

**DELIVERED LUMENS PER WATT**

- 2700K = 80
- 3000K = 90
- 3500K = 100
- 4100K = 110
- 5000K = 120

**ORDERING INFORMATION**

Sample Number: LEX-C-23-54W-SV-WF

<b>Series</b> LEX	<b>Style</b> Ceiling Flush	<b>Size</b> 16" 23"	<b>Lamp</b>  16" 12W 18W 27W  23" 24W 36W	<b>Finish</b> Architectural Bronze (AB) Textured Bronze (TBR) Matte Black (MBK) Semi Gloss Black (GBK) Textured Black (TBK) Textured Rust (TR) Matte White (MW) Textured White (TW) Gloss White (GW) Metallic Grey (MG) Brushed Aluminum (BA) adder Metallic Nickel (MN) Textured Verde Patina (TVP) Satin Brass (SB) Copper Vein (CV) Gold Vein (GV) Silver Vein (SV) Chrome (CH)	<b>Standard Lens</b> White Frosted (WF)  <b>Optional Lens</b> White Alabaster (WA) Honey Onyx (HO) Natural Horn (NH) Beige Alabaster (BA) Honey Swirl (HS)	<b>Options</b> LED EMR - Up to 24W (Iota ILB-3020) Dimming Drivers
<p><b>Labels</b> ETL for US and Canada for indoor and damp location.</p>						