

**VENICE LED SERIES**

Venice LED Wall Sconce features a Rugged Solid Aluminum Round Bar Trim Design with Two Horizontal Bars with a Luminous Quartersphere Diffuser in Acrylic, ADA Compliant

Catalog #		Type
Project		
Comments		Date
Prepared By		

**EVERGREEN LIGHTING**

**SPECIFICATION FEATURES**

**Material**

Aluminum Round Bar construction with a Rugged Quarter-sphere Shaped Trim with Two Horizontal Bar Design, standard powdercoat finish, white smooth acrylic quartersphere shaped lens, .125 thick, with open top.

**Installation**

Supplied with standard mounting hardware to mount to a 4" J-box or plaster ring

**Optics**

Contact Evergreen Lighting for complete photometrics.

**LED**

Alta #AL-R-1W-30 LED array to be mounted onto an Aluminum MPCB Board configured to the proper wattage. The LED arrays will be centered within the Lens area and mounted on a white aluminum reflective backplate.

**Driver**

Specific Drivers will be matched with each different LED array configuration/wattage. Standard Driver features are:

- Constant Current
- 5 year warranty
- 120/277 multi-voltage power supplies
- IP66, IP67

Driver Options:  
0-10V Dimming  
Phase Dimming  
Triac Dimming



6"H X 12"W X 4"D  
8"H X 16"W X 4"D

**Venice Series**

Labels  
ETL for US and  
Canada for damp  
location

**ORDERING INFORMATION**

Sample Number: VE-W-16-24W-TBK-A

<b>Series</b> VE	<b>Style</b> Wall	<b>Size</b> 12" 16"	<b>LED</b> 12" 6W 12W 16" 12W 24W	<b>Finish</b> Architectural Bronze (AB) Textured Bronze (TBR) Matte Black (MBK) Semi Gloss Black (GBK) Textured Black (TBK) Textured Rust (TR) Matte White (MW) Textured White (TW) Gloss White (GW) Metallic Grey (MG) Textured Gold (TG) Metallic Nickel (MN) Textured Verde Patina (TVP) Satin Brass (SB) Copper Vein (CV) Gold Vein (GV) Silver Vein (SV) Polished Brass (PB) Adder Chrome (CH)	<b>Lens</b> White Acrylic (A) White Frosted (WF) White Alabaster (WA) Honey Onyx (HO) Natural Horn (NH) Beige Alabaster (BA) Honey Swirl (HS)	<b>Options</b> Remote EMR, 700 Lumen Remote EMR, 900 Lumen Dimming Drivers Design Modifications Larger size in ADA
	<b>LED to CFL Lamp</b> 6W = (1) F13DBX 12W = (2) F13DBX (1)F26DBX 24W = (2)F26DBX					