






ITEM NO.	PART NUMBER	DESCRIPTION	QTY.	CUT
1	SYL-B-MD-44-12W-TBR-WF-DIM-41K-POST	5"X5" SQUARE ALUMINUM POST	1	C01
1			1	
2	SYL-B-MD-44-12W-TBR-WF-DIM-41K-PLATE ACCENT	ALUMINUM 0.500" PLATE	2	
3	SYL-B-MD-44-12W-TBR-WF-DIM-41K-PLATE ACCENT SHORT	ALUMINUM 0.500" PLATE	2	
4	SYL-B-MD-44-12W-TBR-WF-DIM-41K-BOTTOM TUBE SEAT	ALUMINUM 0.250" PLATE	1	
5	SYL-B-MD-44-12W-TBR-WF-DIM-41K-ANCHOR BASE	ALUMINUM 0.125" PLATE	1	
6	SYL-B-MD-44-12W-TBR-WF-DIM-41K-DRIVER BRACKET	ALUMINUM 0.0635"	1	
7	SYL-B-MD-44-12W-TBR-WF-DIM-41K-BRACKET SPACER	ALUMINUM 0.0635"	1	
8	SYL-B-MD-44-12W-TBR-WF-DIM-41K-DRIVER BOX	ALUMINUM 0.0635"	1	
9	SYL-B-MD-44-12W-TBR-WF-DIM-41K-TUBE BRACKET	ALUMINUM 0.0635"	1	
10	SYL-B-MD-44-12W-TBR-WF-DIM-41K-SQUARE TUBE	1" SQUARE ALUMINUM TUBE	1	
11	SYL-B-MD-44-12W-TBR-WF-DIM-41K-ACRYLIC	ACRYLIC	1	
12	DS-15W-350C1542010-3001	DRIVER	3	
13	AltalLED PN105B-11-2.5-SS	LED	6	
15	AltaILED_PCN_D1000_105B	LED	1	





























			UNLESS OTHERWISE SPECIFIED		NAME	DATE		1 1 1 1 1 1 1 1 1 1 1 1 1	0.105	
			DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL± ANGULAR: MACH± BEND ± TWO PLACE DECIMAL ± THREE PLACE DECIMAL ±	DRAWN			ALUMINUM 0.125"			
				CHECKED						
				ENG APPR.						
				MFG APPR.			SYL-B-MC	DIM-41K		
		INTERPRET GEOMETRIC TOLERANCING PER:	Q.A.							
PROPRIETARY AND CONFIDENTIAL			COMMENTS:							
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF <insert company="" here="" name="">. ANY</insert>			MATERIAL				SIZE DWG. NO.			REV
REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF	NEXT ASSY	USED ON	FINISH				A			
<insert company="" here="" name=""> IS PROHIBITED.</insert>	APPLI	CATION	DO NOT SCALE DRAWING	1			SCALE: 1:3	WEIGHT:	SHEE	T 9 OF 9

4 3 2