	ITEM NO.	PART N	IUMBER		DESCRIPTION	QTY.	CUT
	1	LIN-SQ48''-24W-MN-WF-A	EC-DIM-WET-41K-F	FRAME	22 GAUGE	1	
	2	LIN-SQ48"-24W-MN-WF-AE	C-DIM-WET-41K-FR	AME TAB	22 GAUGE	4	
	3	LIN-SQ48''-24W-MN-WF-AEG	C-DIM-WET-41K-BA	CKPLATE	22 GAUGE	1	
	4	LIN-SQ48''-24W-MN-WF-AE	C-DIM-WET-41K-FI	REPLATE	22 GAUGE	1	
	5	LIN-SQ48"-24W-MN-WF-AEC	C-DIM-WET-41K-LED) SPACER	22 GAUGE	1	
	6	LIN-SQ48''-24W-MN-WF-A	EC-DIM-WET-41K-A	CRYLIC	ACRYLIC	1	
	7	KTLD-25-UV-7			DRIVER	1	
(4)	8	AltaILED PN	V105B-11-SS		LED	4	
			2				
		o o o o o o o o o o o o o o o o o o o	2 NAME DATE				
	DIMENSIO	DNS ARE IN INCHES DRAWN	2 NAME DATE				
		DNS ARE IN INCHES DRAWN CES:	2 NAME DATE	TITLE:			

		DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL±.003 ANGULAR: MACH±.01 BEND± TWO PLACE DECIMAL±.001	DRAWN CHECKED ENG APPR. MFG APPR.	LIN-S	TITLE: Q48''-24V	V-MN-WF	-AEC-D	IM-WET-41
		INTERPRET GEOMETRIC TOLERANCING PER:	Q.A.					
		MATERIAL	COMMENTS:		SIZE DWG			REV
	ALL BEND RADIUS .030"	FINISH	-		A TIC	CKET 24	4879	
EVERONEEN EIOITTINO	APPLICATION	DO NOT SCALE DRAWING			SCALE: 1:8	WEIGHT:	SHEET	1 OF 8
5	4	3		2			1	













