


ITEM NO.	PART NUMBER	DESCRIPTION	QTY.	CUT
1	OR-20-42-10-L36-7-DB-1-2-NL-MT-CYLINDER CAP	CONCRETE CAP	1	
2	OR-20-42-10-L36-7-DB-1-2-NL-MT-CYLINDER BODY	CONCRETE BODY	1	
3	OR-20-42-10-L36-7-DB-1-2-NL-MT-ANCHOR PLATE	ALUMINUM 0.500" PLATE	1	
4	OR-20-42-10-L36-7-DB-1-2-NL-MT-SQUARE TUBE	ALUMINUM 0.125" PLATE	4	
5	OR-20-42-10-L36-7-DB-1-2-NL-MT-LOUVER PLATE TOP	ALUMINUM 0.125" PLATE	1	
6	OR-20-42-10-L36-7-DB-1-2-NL-MT-LOUVER PLATE	ALUMINUM 0.125" PLATE	1	
7	OR-20-42-10-L36-7-DB-1-2-NL-MT-TUBE BRACKET	ALUMINUM 0.0635"	1	
8	OR-20-42-10-L36-7-DB-1-2-NL-MT-DRIVER BRACKET	ALUMINUM 0.0635"	1	
9	OR-20-42-10-L36-7-DB-1-2-NL-MT-SPUN COVER BOTTOM	SPUN ALUMINUM 0.0635"	1	
10	OR-20-42-10-L36-7-DB-1-2-NL-MT-HORIZONTAL LOUVER	SPUN ALUMINUM 0.0635"	5	
11	OR-20-42-10-L36-7-DB-1-2-NL-MT-SPUN END CAPS	SPUN ALUMINUM 0.080"	1	
12	OR-20-42-10-L36-7-DB-1-2-NL-MT-SPUN COVER	SPUN ALUMINUM 0.080"	1	
13	OR-20-42-10-L36-7-DB-1-2-NL-MT-ACRYLIC	ACRYLIC	1	
14	OR-20-42-10-L36-7-DB-1-2-NL-MT-THREADED ROD	1/4" THREADED ROD	4	
15	OR-20-42-10-L36-7-DB-1-2-NL-MT-0.5" REFLECTOR SPACER	3/8" ALUMINUM CYLINDER	12	
16	Altal LED PN1019 SHIM PLATE	ALUMINUM 0.125" PLATE	4	
17	KTLD-22-UV-700-VDIM-L7-CP 0-10V	DRIVER	2	
18	Altal LED PN1019 RevC	LED	4	



UNLESS OTHERWISE SPECIFIED:

DIMENSIONS ARE IN INCHES
TOLERANCES:
FRACTIONAL $\pm .003$
ANGULAR: MACH $\pm .01$ BEND \pm
TWO PLACE DECIMAL \pm
THREE PLACE DECIMAL $\pm .001$

INTERPRET GEOMETRIC
TOLERANCING PER:

MATERIAL

FINISH

DRAWN

CHECKED

ENG APPR.

MFG APPR.

Q.A.

COMMENTS:

NAME

DATE

TITLE:

OR-20-42-10-L36-7-DB-1-2-NL-MT

SIZE DWG. NO.

REV

A TICKET 25147

SCALE: 1:12 WEIGHT:

SHEET 1 OF 14




EVERGREEN LIGHTING


ALL BEND RADIUS .030"

APPLICATION


DO NOT SCALE DRAWING













BOTTOM LOUVER IS LOOSE
TO ALLOW BOLTING TO BODY
















USE NUTS TO HOLD LOUVER
SUBASSEMBLY INTO PLATE

BOTTOM LOUVER IS LOOSE
TO ALLOW BOLTING TO BODY







SECTION C-C
SCALE 1 : 4









PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS
DRAWING IS THE SOLE PROPERTY OF
<INSERT COMPANY NAME HERE>. ANY
REPRODUCTION IN PART OR AS A WHOLE
WITHOUT THE WRITTEN PERMISSION OF
<INSERT COMPANY NAME HERE> IS
PROHIBITED.

		UNLESS OTHERWISE SPECIFIED:		NAME	DATE	CONCRETE BODY		
		DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL ± ANGULAR: MACH ± BEND ± TWO PLACE DECIMAL ± THREE PLACE DECIMAL ±	DRAWN			TITLE: OR-20-42-10-L36-7-DB-1-2-NL-MT		
			CHECKED					
			ENG APPR.					
			MFG APPR.					
		INTERPRET GEOMETRIC TOLERANCING PER:	Q.A.			SIZE DWG. NO. REV A		
		MATERIAL	COMMENTS:					
		FINISH						
NEXT ASSY	USED ON					SCALE: 1:7 WEIGHT: SHEET 7 OF 14		
APPLICATION		DO NOT SCALE DRAWING						







		UNLESS OTHERWISE SPECIFIED:		NAME	DATE	ALUMINUM 0.0635"		
		DIMENSIONS ARE IN INCHES	DRAWN			TITLE: OR-20-42-10-L36-7-DB-1-2-NL-MT		
		TOLERANCES:	CHECKED					
		FRACTIONAL ±	ENG APPR.					
		ANGULAR: MACH ± BEND ±	MFG APPR.					
		TWO PLACE DECIMAL ±	Q.A.					
		THREE PLACE DECIMAL ±	COMMENTS:			SIZE	DWG. NO.	REV
		INTERPRET GEOMETRIC TOLERANCING PER:				A		
		MATERIAL				SCALE: 1:2.5WEIGHT:		
		FINISH						
NEXT ASSY	USED ON							
APPLICATION		DO NOT SCALE DRAWING						



PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS
DRAWING IS THE SOLE PROPERTY OF
<INSERT COMPANY NAME HERE>. ANY
REPRODUCTION IN PART OR AS A WHOLE
WITHOUT THE WRITTEN PERMISSION OF
<INSERT COMPANY NAME HERE> IS
PROHIBITED.

		UNLESS OTHERWISE SPECIFIED:		NAME	DATE	ACRYLIC		
		DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL ± ANGULAR: MACH ± BEND ± TWO PLACE DECIMAL ± THREE PLACE DECIMAL ±	DRAWN					
			CHECKED					
			ENG APPR.					
			MFG APPR.					
		INTERPRET GEOMETRIC TOLERANCING PER:	Q.A.					
		MATERIAL	COMMENTS:			SIZE DWG. NO. REV A		
		FINISH				SCALE: 1:3 WEIGHT: SHEET 9 OF 14		
NEXT ASSY	USED ON							
APPLICATION		DO NOT SCALE DRAWING						



PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS
DRAWING IS THE SOLE PROPERTY OF
<INSERT COMPANY NAME HERE>. ANY
REPRODUCTION IN PART OR AS A WHOLE
WITHOUT THE WRITTEN PERMISSION OF
<INSERT COMPANY NAME HERE> IS
PROHIBITED.



NEXT ASSY	USED ON
APPLICATION	

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN INCHES
TOLERANCES:
FRACTIONAL ±
ANGULAR: MACH ± BEND ±
TWO PLACE DECIMAL ±
THREE PLACE DECIMAL ±
INTERPRET GEOMETRIC TOLERANCING PER:
MATERIAL
FINISH
DO NOT SCALE DRAWING

	NAME	DATE
DRAWN		
CHECKED		
ENG APPR.		
MFG APPR.		
Q.A.		
COMMENTS:		



ALUMINUM 0.125" PLATE		
TITLE:		
OR-20-42-10-L36-7-DB-1-2-NL-MT		
SIZE A	DWG. NO.	REV
SCALE: 1:5	WEIGHT:	SHEET 10 OF 14

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	OR-20-42-10-L36-7-DB-1-2-NL-MT-SPUN END CAPS	SPUN ALUMINUM 0.080"	1






<div>PROPRIETARY AND CONFIDENTIAL</div> <div>THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF <INSERT COMPANY NAME HERE>. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF <INSERT COMPANY NAME HERE> IS PROHIBITED.</div>				UNLESS OTHERWISE SPECIFIED:				NAME		DATE		SPUN ALUMINUM 0.080"					
						DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL ± ANGULAR: MACH ± BEND ± TWO PLACE DECIMAL ± THREE PLACE DECIMAL ±		DRAWN				TITLE: OR-20-42-10-L36-7-DB-1-2-NL-MT					
								CHECKED									
								ENG APPR.									
								MFG APPR.									
						INTERPRET GEOMETRIC TOLERANCING PER:		Q.A.				SIZE <div>A</div> DWG. NO. <div></div> REV <div></div>					
						MATERIAL		COMMENTS:									
NEXT ASSY		USED ON				FINISH											
		APPLICATION		DO NOT SCALE DRAWING								SCALE: 1:3		WEIGHT:		SHEET 11 OF 14	
5		4		3				2						1			

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	OR-20-42-10-L36-7-DB-1-2-NL-MT-SPUN COVER TOP	SPUN ALUMINUM 0.0635"	1



<div><div>PROPRIETARY AND CONFIDENTIAL</div><div>THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF <INSERT COMPANY NAME HERE>. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF <INSERT COMPANY NAME HERE> IS PROHIBITED.</div></div>				UNLESS OTHERWISE SPECIFIED:			NAME	DATE	SPUN ALUMINUM 0.0635"			
				DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL ± ANGULAR: MACH ± BEND ± TWO PLACE DECIMAL ± THREE PLACE DECIMAL ±		DRAWN			TITLE: OR-20-42-10-L36-7-DB-1-2-NL-MT			
						CHECKED						
						ENG APPR.						
						MFG APPR.						
				INTERPRET GEOMETRIC TOLERANCING PER:		Q.A.						
				MATERIAL		COMMENTS:						
	NEXT ASSY	USED ON		FINISH								
	APPLICATION		DO NOT SCALE DRAWING							SIZE	DWG. NO.	REV
									<div>A</div>			
										SCALE: 1:3	WEIGHT:	SHEET 12 OF 14
5		4		3			2				1	

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	OR-20-42-10-L36-7-DB-1-2-NL-MT-HORIZONTAL LOUVER	SPUN ALUMINUM 0.0635"	1



PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS
DRAWING IS THE SOLE PROPERTY OF
<INSERT COMPANY NAME HERE>. ANY
REPRODUCTION IN PART OR AS A WHOLE
WITHOUT THE WRITTEN PERMISSION OF
<INSERT COMPANY NAME HERE> IS
PROHIBITED.

NEXT ASSY

USED ON

APPLICATION

DO NOT SCALE DRAWING

UNLESS OTHERWISE SPECIFIED:

DIMENSIONS ARE IN INCHES
TOLERANCES:
FRACTIONAL ±
ANGULAR: MACH ± BEND ±
TWO PLACE DECIMAL ±
THREE PLACE DECIMAL ±

INTERPRET GEOMETRIC
TOLERANCING PER:

MATERIAL

FINISH

DRAWN

CHECKED

ENG APPR.

MFG APPR.

Q.A.

COMMENTS:

NAME

DATE

SPUN ALUMINUM 0.0635"

TITLE:

OR-20-42-10-L36-7-DB-1-2-NL-MT

SIZE
A

DWG. NO.

REV

SCALE: 1:3

WEIGHT:

SHEET 14 OF 14