



ITEM NO.	PART NUMBER	DESCRIPTION	QTY.	CUT
1	MDGCY-10LED-9-WET-PE-120V-27K-BACKPLATE	22 GAUGE	1	
2	MDGCY-10LED-9-WET-PE-120V-27K-FIREPLATE	22 GAUGE	1	
3	MDGCY-10LED-9-WET-PE-120V-27K-CONNECTOR BOX TOP	22 GAUGE	1	
4	MDGCY-10LED-9-WET-PE-120V-27K-CONNECTOR BOX BOTTOM	22 GAUGE	1	
5	MDGCY-10LED-9-WET-PE-120V-27K-DIM DRIVER BRACKET	22 GAUGE	1	
6	MDGCY-10LED-9-WET-PE-120V-27K-CONE REFLECTOR	22 GAUGE	1	
7	MDGCY-10LED-9-WET-PE-120V-27K-SPUN CYLINDER	SPUN ALUMINUM 0.080"	1	
8	MDGCY-10LED-9-WET-PE-120V-27K-SPUN DOOR BRACKET	SPUN ALUMINUM 0.0635"	1	
9	MDGCY-10LED-9-WET-PE-120V-27K-SPUN DOOR	SPUN ALUMINUM 0.0635"	1	
10	MDGCY-10LED-9-WET-PE-120V-27K-ACRYLIC	ACRYLIC	1	
11	MDGCY-10LED-9-WET-PE-120V-27K-NIPPLE	3" NIPPLE	2	
12	55MM HEXAGON HEAT SINK	HEAT SINK	1	
13	PHOTO CELL MODEL	SENSOR	1	
14	SMALL NUT	STEEL NUT	8	
15	DS-15W-350C1542010-3001	DRIVER	1	
16	AltaILED_PCN_D1500_110B-10 WATT	LED	1	







NAME



UNLESS OTHER WISE SI	LCII ILD
DIMENSIONS ARE IN INC TOLERANCES: FRACTIONAL±.003 ANGULAR: MACH±.01 TWO PLACE DECIMAL THREE PLACE DECIMAL	BEND ±

MATERIAL

FINISH

INTERPRET GEOMETRIC

TOLERANCING PER:

ENG APPR.

MFG APPR.

Q.A.

COMMENTS:

DRAWN

CHECKED

MDGCY-10LED-9-WET-PE-120V-27K

DWG. NO.

A TICKET 25527

SCALE: 1:5 WEIGHT: SHEET 1 OF 12

EVERGREEN LIGHTING

ALL BEND RADIUS .030"

APPLICATION

3

DO NOT SCALE DRAWING

2

DATE

TITLE:

ı

1

REV

