

EVERGREEN LIGHTING

ALL BEND RADIUS .030"

UNLESS OTHERWISE SPECIFIED:	NAME	DATE
DIMENSIONS ARE IN INCHES	DRAWN	
TOLERANCES:	CHECKED	
FRACTIONAL ± .003	ENG APPR.	
ANGULAR: MACH ± .01 BEND ±	MFG APPR.	
TWO PLACE DECIMAL ±	Q.A.	
THREE PLACE DECIMAL ± .001	COMMENTS:	
INTERPRET GEOMETRIC TOLERANCING PER:		
MATERIAL		
FINISH		
APPLICATION	DO NOT SCALE DRAWING	

TITLE:

POM2211C-40W-TBR-WF-30K

SIZE	DWG. NO.	REV
A	TICKET 24346	
SCALE: 1:9	WEIGHT:	SHEET 1 OF 13

5


4





3
















2



1

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.	CUT
1	POM2211C-40W-TBR-WF-30K-CANOPY	ALUMINUM 0.0635"	1	
2	POM2211C-40W-TBR-WF-30K-CANOPY TAB	ALUMINUM 0.0635"	2	
3	POM2211C-40W-TBR-WF-30K-FIREPLATE	ALUMINUM 0.0635"	1	
4	POM2211C-40W-TBR-WF-30K-FIREPLATE TAB	ALUMINUM 0.0635"	2	
5	POM2211C-40W-TBR-WF-30K-TUBE BRACKET	ALUMINUM 0.0635"	1	
6	POM2211C-40W-TBR-WF-30K-DRIVER BRACKET	ALUMINUM 0.0635"	1	
7	POM2211C-40W-TBR-WF-30K-TOP SPUN ACCENTS	SPUN ALUMINUM 0.080"	1	
8	POM2211C-40W-TBR-WF-30K-SPUN SHADE	SPUN ALUMINUM 0.080"	1	
9	POM2211C-40W-TBR-WF-30K-TOP LENS SPACER	SPUN ALUMINUM 0.080"	1	
10	POM2211C-40W-TBR-WF-30K-TOP LENS CAP	SPUN ALUMINUM 0.080"	1	
11	POM2211C-40W-TBR-WF-30K-BOTTOM LENS CAP	SPUN ALUMINUM 0.080"	1	
12	POM2211C-40W-TBR-WF-30K-SPUN BOTTOM CAP	SPUN ALUMINUM 0.080"	1	
13	POM2211C-40W-TBR-WF-30K-CANOPY ACCENT	ALUMINUM 0.125" PLATE	2	
14	POM2211C-40W-TBR-WF-30K-BAR SUPPORT	ALUMINUM 0.250" PLATE	1	
15	POM2211C-40W-TBR-WF-30K-TUBE ARM SCROLL	7/8" ALUMINUM TUBE	1	
16	POM2211C-40W-TBR-WF-30K-0.625" ALUMINUM BAR	5/8" ALUMINUM ROUND BAR	4	
17	POM2211C-40W-TBR-WF-30K-0.625" ROUND TUBE	5/8" ROUND ALUMINUM TUBE	2	
18	POM2211C-40W-TBR-WF-30K-LED TUBE	1-1/2" SQUARE ALUMINUM TUBE	1	
19	POM2211C-40W-TBR-WF-30K-TUBE ACCENT	1" SQUARE ALUMINUM BAR	1	
20	POM2211C-40W-TBR-WF-30K-NIPPLE	NIPPLE	1	
21	POM2211C-40W-TBR-WF-30K-ACRYLIC	ACRYLIC	1	
22	SMALL NUT	STEEL NUT	2	
23	.625 BRASS CYLINDER	3/8" BRASS CYLINDER	8	
24	BRASS L JOINT	BRASS JOINT	1	
25	1" BRASS BALL	1" BRASS BALL	1	
26	KTLD-25-UV-700-VDIM-LA1	DRIVER	2	
27	AltaiLED_PN1010_RevD	LED	8	









PROPRIETARY AND CONFIDENTIAL
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF <INSERT COMPANY NAME HERE>. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF <INSERT COMPANY NAME HERE> IS PROHIBITED.

NEXT ASSY	USED ON
APPLICATION	

UNLESS OTHERWISE SPECIFIED:	NAME	DATE
DIMENSIONS ARE IN INCHES	DRAWN	
TOLERANCES:	CHECKED	
FRACTIONAL ±	ENG APPR.	
ANGULAR: MACH ± BEND ±	MFG APPR.	
TWO PLACE DECIMAL ±	Q.A.	
THREE PLACE DECIMAL ±	COMMENTS:	
INTERPRET GEOMETRIC TOLERANCING PER:		
MATERIAL		
FINISH		
DO NOT SCALE DRAWING		

ALUMINUM 0.0635"		
TITLE:		
POM2211C-40W-TBR-WF-30K		
SIZE	DWG. NO.	REV
A		
SCALE: 1:5	WEIGHT:	SHEET 5 OF 13




5

4


3

2

1



ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	POM2211C-40W-TBR-WF-30K-SPUN BOTTOM CAP	SPUN ALUMINUM 0.080"	1



PROPRIETARY AND CONFIDENTIAL
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF <INSERT COMPANY NAME HERE>. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF <INSERT COMPANY NAME HERE> IS PROHIBITED.

		UNLESS OTHERWISE SPECIFIED:		NAME	DATE
		DIMENSIONS ARE IN INCHES		DRAWN	
		TOLERANCES:		CHECKED	
		FRACTIONAL ±		ENG APPR.	
		ANGULAR: MACH ± BEND ±		MFG APPR.	
		TWO PLACE DECIMAL ±		Q.A.	
		THREE PLACE DECIMAL ±		COMMENTS:	
		INTERPRET GEOMETRIC TOLERANCING PER:			
		MATERIAL			
		FINISH			
NEXT ASSY	USED ON				
APPLICATION		DO NOT SCALE DRAWING			

SPUN ALUMINUM 0.080"		
TITLE:		
POM2211C-40W-TBR-WF-30K		
SIZE	DWG. NO.	REV
A		
SCALE: 1:4	WEIGHT:	SHEET 7 OF 13

5

4







3

2

1

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	POM2211C-40W-TBR-WF-30K-TOP LENS CAP	SPUN ALUMINUM 0.080"	1

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	POM2211C-40W-TBR-WF-30K-BOTTOM LENS CAP	SPUN ALUMINUM 0.080"	1



PROPRIETARY AND CONFIDENTIAL
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF <INSERT COMPANY NAME HERE>. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF <INSERT COMPANY NAME HERE> IS PROHIBITED.

		UNLESS OTHERWISE SPECIFIED:		NAME	DATE
		DIMENSIONS ARE IN INCHES	DRAWN		
		TOLERANCES:	CHECKED		
		FRACTIONAL ±	ENG APPR.		
		ANGULAR: MACH ± BEND ±	MFG APPR.		
		TWO PLACE DECIMAL ±	Q.A.		
		THREE PLACE DECIMAL ±	COMMENTS:		
		INTERPRET GEOMETRIC TOLERANCING PER:			
		MATERIAL			
		FINISH			
NEXT ASSY	USED ON				
APPLICATION		DO NOT SCALE DRAWING			









SPUN ALUMINUM 0.080"


TITLE:

POM2211C-40W-TBR-WF-30K


SIZE	DWG. NO.	REV
A		










SCALE: 1:4 WEIGHT: SHEET 8 OF 13





**WIRING DONE THROUGH
BOTTOM TUBE SCROLL**





UNLESS OTHERWISE SPECIFIED:

DIMENSIONS ARE IN INCHES
 TOLERANCES:
 FRACTIONAL ±
 ANGULAR: MACH ± BEND ±
 TWO PLACE DECIMAL ±
 THREE PLACE DECIMAL ±

INTERPRET GEOMETRIC
 TOLERANCING PER:

MATERIAL

FINISH

DO NOT SCALE DRAWING

	NAME	DATE
DRAWN		
CHECKED		
ENG APPR.		
MFG APPR.		
Q.A.		
COMMENTS:		

ALUMINUM 0.0635"

TITLE:

POM2211C-40W-TBR-WF-30K







SIZE	DWG. NO.	REV
A		

SCALE: 1:3 WEIGHT: SHEET 11 OF 13


PROPRIETARY AND CONFIDENTIAL
 THE INFORMATION CONTAINED IN THIS
 DRAWING IS THE SOLE PROPERTY OF
 <INSERT COMPANY NAME HERE>. ANY
 REPRODUCTION IN PART OR AS A WHOLE
 WITHOUT THE WRITTEN PERMISSION OF
 <INSERT COMPANY NAME HERE> IS
 PROHIBITED.

NEXT ASSY	USED ON	APPLICATION

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	POM2211C-40W-TBR-WF-30K-TOP LENS SPACER	SPUN ALUMINUM 0.080"	1



WELDED AS ONE







PROPRIETARY AND CONFIDENTIAL
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF <INSERT COMPANY NAME HERE>. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF <INSERT COMPANY NAME HERE> IS PROHIBITED.



		UNLESS OTHERWISE SPECIFIED:		NAME	DATE
		DIMENSIONS ARE IN INCHES	DRAWN		
		TOLERANCES:	CHECKED		
		FRACTIONAL ±	ENG APPR.		
		ANGULAR: MACH ± BEND ±	MFG APPR.		
		TWO PLACE DECIMAL ±	Q.A.		
		THREE PLACE DECIMAL ±	COMMENTS:		
		INTERPRET GEOMETRIC TOLERANCING PER:			
		MATERIAL			
		FINISH			
NEXT ASSY	USED ON				
APPLICATION		DO NOT SCALE DRAWING			

SPUN ALUMINUM 0.080"		
TITLE:		
POM2211C-40W-TBR-WF-30K		
SIZE	DWG. NO.	REV
A		
SCALE: 1:4	WEIGHT:	SHEET 12 OF 13

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	POM2211C-40W-TBR-WF-30K-SPUN SHADE	SPUN ALUMINUM 0.080"	1



ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	POM2211C-40W-TBR-WF-30K-TOP SPUN ACCENTS	SPUN ALUMINUM 0.080"	1



PROPRIETARY AND CONFIDENTIAL
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF <INSERT COMPANY NAME HERE>. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF <INSERT COMPANY NAME HERE> IS PROHIBITED.

		UNLESS OTHERWISE SPECIFIED:	NAME	DATE
		DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL ± ANGULAR: MACH ± BEND ± TWO PLACE DECIMAL ± THREE PLACE DECIMAL ±	DRAWN	
		INTERPRET GEOMETRIC TOLERANCING PER:	CHECKED	
		MATERIAL	ENG APPR.	
		FINISH	MFG APPR.	
NEXT ASSY	USED ON		Q.A.	
			COMMENTS:	
APPLICATION		DO NOT SCALE DRAWING		

SPUN ALUMINUM 0.080"		
TITLE:		
POM2211C-40W-TBR-WF-30K		
SIZE	DWG. NO.	REV
A		
SCALE: 1:4	WEIGHT:	SHEET 13 OF 13