ITEM NO.	D A DT A U U A D C D	DECODIDIO	OTV OUT						
1		DESCRIPTION	QTY. CUT						
	ECL-W-24L-AB-WF-PE-TBL-WET-30K-FRAME	22 GAUGE	1						
2	ECL-W-24L-AB-WF-PE-TBL-WET-30K-BACKPLATE	22 GAUGE	1						
3	ECL-W-24L-AB-WF-PE-TBL-WET-30K-FIREPLATE	22 GAUGE	1						
4	ECL-W-24L-AB-WF-PE-TBL-WET-30K-TAB	22 GAUGE	4				€		\mathbf{X}
5	ECL-W-24L-AB-WF-PE-TBL-WET-30K-ACRYLIC	ACRYLIC	1						
6		1/4"X1/2" ALUMINUM FLAT E							
7	PHOTO CELL MODEL 2.0	SENSOR							
8	KTLD-25-UV-700-VDIM-LA1	DRIVER	1						
9	AltaILED_PN110B_RevC	LED	2						
	<u></u>			9.000		4.000			
			LINI ESS OTHERWISE SPECIFIED:	NAME			20.000		
			UNLESS OTHERWISE SPECIFIED:	NAME	DATE		20.000		
		[DIMENSIONS ARE IN INCHES	NAME DRAWN	DATE		20.000		
			DIMENSIONS ARE IN INCHES TOLERANCES:	DRAWN		ITLE:	20.000		
		I I F	DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL± .003	DRAWN CHECKED		ITLE:	20.000		
			DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL±.003 ANGULAR: MACH±.01 BEND ±	DRAWN	T		•		
		I T	DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL± .003	DRAWN CHECKED ENG APPR.	T		•	F-PE-TBI -V	VET-30K
		E F	DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL±.003 ANGULAR: MACH±.01 BEND± TWO PLACE DECIMAL ± THREE PLACE DECIMAL ±.001	DRAWN CHECKED ENG APPR. MFG APPR.	T		•	F-PE-TBL-V	VET-30K
			DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL±.003 ANGULAR: MACH±.01 BEND± TWO PLACE DECIMAL± THREE PLACE DECIMAL±.001 INTERPRET GEOMETRIC	DRAWN CHECKED ENG APPR.	T		•	F-PE-TBL-V	VET-30K
		T T	DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL±.003 ANGULAR: MACH±.01 BEND± TWO PLACE DECIMAL± THREE PLACE DECIMAL±.001 INTERPRET GEOMETRIC TOLERANCING PER:	DRAWN CHECKED ENG APPR. MFG APPR.	T	ECL-W-2	• 4L-AB-W	F-PE-TBL-V	VET-30K
		T T	DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL±.003 ANGULAR: MACH±.01 BEND± TWO PLACE DECIMAL± THREE PLACE DECIMAL±.001 INTERPRET GEOMETRIC	DRAWN CHECKED ENG APPR. MFG APPR. Q.A.	T	ECL-W-2	• 4L-AB-W	F-PE-TBL-V	
		T T	DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL±.003 ANGULAR: MACH±.01 BEND± TWO PLACE DECIMAL± THREE PLACE DECIMAL±.001 INTERPRET GEOMETRIC TOLERANCING PER:	DRAWN CHECKED ENG APPR. MFG APPR. Q.A.	T	ECL-W-2	4L-AB-W		REV
	ALL E	T T T	DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL±.003 ANGULAR: MACH±.01 BEND± TWO PLACE DECIMAL± THREE PLACE DECIMAL±.001 INTERPRET GEOMETRIC TOLERANCING PER:	DRAWN CHECKED ENG APPR. MFG APPR. Q.A.	T	ECL-W-2	4L-AB-W	F-PE-TBL-V	REV
	RGREEN LIGHTING ALLE	T F T T T	DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL ± .003 ANGULAR: MACH ± .01 BEND ± TWO PLACE DECIMAL ± THREE PLACE DECIMAL ±.001 INTERPRET GEOMETRIC TOLERANCING PER: MATERIAL	DRAWN CHECKED ENG APPR. MFG APPR. Q.A.	T	ECL-W-2	4L-AB-W	24435	REV











