
2 SG 3 S 4 SC 5 SQ 6 SQ-1	PART NUMBER QNC-W-8LED-MBK-WF-WET-30K-B/ Q-NC-W-8LED-MBK-WF-WET-30K-IJ Q-NC-W-8LED-MBK-WF-WET-30K-UJ NC-W-8LED-MBK-WF-WET-30K-JU NC-W-8LED-MBK-WF-WET-30K-ALL GQ-NC-W-8LED-MBK-WF-WET-30K- DS-15W-350C1542010-300 AlfalLED_PN1011_RevB	ACKPLATE ED SPACER FIREPLATE SIDE PLATE PPER PLATE JMINUM BAR 3/8" SQ ACRYLIC	DESCRIPTION 22 GAUGE 22 GAUGE 22 GAUGE 22 GAUGE 22 GAUGE 22 GAUGE UARE ALUMINU ACRYLIC DRIVER LED	1 1 1 2 2		5.063				3.750	.060	
				UNLESS OTHE	RWISE SPECIFIED:	:	NAME	DATE				
\mathbb{N}	N .				ARE IN INCHES	DRAWN						
				TOLERANCES: FRACTIONAL	.003	CHECKED			TITLE:			
				ANGULAR: MA	ACH±.01 BEND± ECIMAL ±	ENG APPR.						
	*				DECIMAL ±.001	MFG APPR.			SQ-NC	-W-8LED-M	BK-WF-WE	ET-30K
	Ł			INTERPRET GEO		Q.A.						
			TOLERANCING MATERIAL	PEK:	COMMENTS:							
									SIZE DW	G. NO.		REV
	- 5.61											
				FINISH		_				CKFT 2	4489	
EVERGF		ALL BEND RADI				_				CKET 2		
EVERGR		ALL BEND RADI			CALE DRAWING	-				CKET 2 5 WEIGHT:		1 OF 7



ALL SPOT WELDED TOGETHER INTO ONE PIECE



