ITEM NO. PART NUMBER 1 GOTH-HX6-ARM21-24W-ORB-WF-DIM-30K-SIDE 2 GOTH-HX6-ARM21-24W-ORB-WF-DIM-30K-HEXAGON BOTTOM 3 GOTH-HX6-ARM21-24W-ORB-WF-DIM-30K-HEXAGON CAP 4 GOTH-HX6-ARM21-24W-ORB-WF-DIM-30K-HEXAGON CAP 5 GOTH-HX6-ARM21-24W-ORB-WF-DIM-30K-HEXAGON CAP 6 GOTH-HX6-ARM21-24W-ORB-WF-DIM-30K-BACKPLATE 7 GOTH-HX6-ARM21-24W-ORB-WF-DIM-30K-BACKPLATE 8 GOTH-HX6-ARM21-24W-ORB-WF-DIM-30K-TUBE BRACKET 8 GOTH-HX6-ARM21-24W-ORB-WF-DIM-30K-FIREPLATE 9 GOTH-HX6-ARM21-24W-ORB-WF-DIM-30K-FIREPLATE 10 GOTH-HX6-ARM21-24W-ORB-WF-DIM-30K-LED BRACKET 10 GOTH-HX6-ARM21-24W-ORB-WF-DIM-30K-LED BRACKET 10 GOTH-HX6-ARM21-24W-ORB-WF-DIM-30K-LED BRACKET 10 GOTH-HX6-ARM21-24W-ORB-WF-DIM-30K-LED BRACKET 11 NIPPLE 12 SMALL NUT 13 BULLET ACCENT 14 KTLD-25-UV-700-VDIM-LA1 15 AltaILED_PN110B_RevC	22 GAUGE ALUMINUM 22 GAUGE ALUMINUM 12 GAUGE ALUMINUM 14 GAUGE ALUM		
	UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL ± .003 ANGULAR: MACH ± .01 BEND ± TWO PLACE DECIMAL ± THREE PLACE DECIMAL ±.001 INTERPRET GEOMETRIC TOLERANCING PER: MATERIAL FINISH	Q.A. COMMENTS:	ARM21-24W-ORB-WF-DIM-30K 3. NO. CKET 24531
EVERGREEN LIGHTING ALL BEND RADIUS .030 APPLICATION 5 4	DO NOT SCALE DRAWING	SCALE: 1:5	P WEIGHT: SHEET 1 OF 8













