ITEM NO. 1 2 3 4 5 6 7 8 9	PART NUMBER TO-W-8-25W-TBR-CFA-UP-WET-30K-D-W-8-25W-TBR-CFA-UP-WET-30K-D-W-8-25W-TBR-CFA-UP-WET-30K-D-W-8-25W-TBR-CFA-UP-WET-30K-D-W-8-25W-TBR-CFA-UP-WET-30K-D-W-8-25W-TBR-CFA-UP-WET-30-W-8-25W-TBR-CFA-UP-WET-30-W-8-25W-TBR-CFA-UP-WET-30-W-8-25W-TBR-CFA-UP-WET-30-W-8-25W-TBR-CFA-UP-WET-30-W-8-25W-TBR-CFA-UP-WET-30-W-8-25W-TBR-CFA-UP-WET-30-W-8-25W-TBR-CFA-UP-WET-30-W-8-25W-TBR-CFA-UP-WET-30-W-8-25W-TBR-CFA-UP-WET-30-W-8-25W-TBR-CFA-UP-WET-30-W-8-25W-TBR-CFA-UP-WET-30-W-8-25W-TBR-CFA-UP-WET-30-W-8-25W-TBR-CFA-UP-WET-30-W-8-25W-TBR-CFA-UP-WET-30-W-8-25W-TBR-CFA-UP-WET-30K-D-W-8-25W-TBR-CFA-UP-WET-30K-D-W-8-25W-TBR-CFA-UP-WET-30K-D-W-8-25W-TBR-CFA-UP-WET-30K-D-W-8-25W-TBR-CFA-UP-WET-30K-D-W-8-25W-TBR-CFA-UP-WET-30K-D-W-8-25W-TBR-CFA-UP-WET-30K-D-WET	-BACKPLATE LED BRACKET OOR BRACKET 0K-DOOR K-ACRYLIC LATE AI	DESCRIPTION 22 GAUGE 22 GAUGE 22 GAUGE 22 GAUGE 22 GAUGE ACRYLIC UMINUM 0.125" PLA DRIVER LED	QTY. CUT 1 1 1 1 1 1 1 1 1						
		4					5.995		7.023	8.020
			10	NLESS OTHERWISE SI	PECIFIED:		NAME	DATE		
				mensions are in ing	CHES	DRAWN				
				DLERANCES: ACTIONAL ± .003		CHECKED			TITLE:	
			1A	NGULAR: MACH±.01		ENG APPR.			-	
				VO PLACE DECIMAL IREE PLACE DECIMAL		MFG APPR.			TO-W-8-25W-TBR-CI	A-UP-WET-30K
	*		INIT	ERPRET GEOMETRIC		Q.A.				
			TO	LERANCING PER:		COMMENTS:			_	
			MA	ATERIAL					SIZE DWG. NO.	REV
			FIN	IISH					A TICKET 25	511/
EVER	GREEN LIGHTING	ALL BEND RAD							TIUNLI Z)
_ v	CILLIA LIGITINO	APPLICA	TION	DO NOT SCALE DRA	WING				SCALE: 1:5 WEIGHT:	SHEET 1 OF 5
									· · · · · · · · · · · · · · · · · · ·	







