





ITEM NO.	PART NUMBER	DESCRIPTION	QTY.	CUT
1	EC-NLX20-B-32-20W-5" CYLINDER	5" CYLINDER TUBE	1	
2	EC-NLX20-B-32-20W-TOP ROUND ACCENT	ALUMINUM 0.125" PLATE	2	
3	EC-NLX20-B-32-20W-ROUND ANCHOR PLATE	ALUMINUM 0.500" PLATE	1	
4	EC-NLX20-B-32-20W-ANCHOR TAB	ALUMINUM 0.500" PLATE	4	
5	EC-NLX20-B-32-20W-SPUN TOP CAP	SPUN ALUMINUM 0.080"	1	
6	EC-NLX20-B-32-20W-SPUN CYLINDER FITTER	SPUN ALUMINUM 0.080"	1	
7	EC-NLX20-B-32-20W-SPUN CYLINDER FITTER TOP	SPUN ALUMINUM 0.080"	1	
8	EC-NLX20-B-32-20W-SPUN TUBE CAP BOTTOM	SPUN ALUMINUM 0.080"	4	
9	EC-NLX20-B-32-20W-SPUN TUBE CAP TOP	SPUN ALUMINUM 0.080"	4	
10	EC-NLX20-B-32-20W-DRIVER BRACKET	ALUMINUM 0.0635"	1	
11	EC-NLX20-B-32-20W-TUBE BRACKET	ALUMINUM 0.0635"	1	
12	EC-NLX20-B-32-20W-ALUMINUM ROUND BAR	1/2" ALUMINUM ROUND BAR	4	
13	EC-NLX20-B-32-20W-SQUARE TUBE	1" SQUARE ALUMINUM TUBE	1	
14	EC-NLX20-B-32-20W-GLASS LENS	STOCK GLASS LENS	1	
15	EC-NLX20-B-32-20W-CAST BRACKET	STOCK CAST PART	1	
16	8-32-0.5 SS Hex Drive Flat Head	8-32 FLAT HEAD SCREW	8	
17	ESPEN VEL29070MVH-1	DRIVER	1	
18	Altailed PN1011 RevB	LED	4	



EVERGREEN LIGHTING

5

4

3

2

1

UNLESS OTHERWISE SPECIFIED:

DIMENSIONS ARE IN INCHES
TOLERANCES:
FRACTIONAL ± .003
ANGULAR: MACH ± .01 BEND ±
TWO PLACE DECIMAL ±
THREE PLACE DECIMAL ± .001

INTERPRET GEOMETRIC
TOLERANCING PER:

MATERIAL

FINISH

NAME DATE

DRAWN

CHECKED

ENG APPR.

MFG APPR.

Q.A.

COMMENTS:

TITLE:

EC-NLX20-B-32-20W

SIZE DWG. NO.

REV

A





SCALE: 1:8 WEIGHT:


SHEET 1 OF 13









ALL BEND RADIUS .030"



APPLICATION











DO NOT SCALE DRAWING



















INTERPRET GEOMETRIC TOLERANCING PER:
MATERIAL
FINISH
DO NOT SCALE DRAWING

NAME	DATE	5" CYLINDER TUBE		
DRAWN		TITLE:		
CHECKED		EC-NLX20-B-32-20W		
ENG APPR.		SIZE	DWG. NO.	REV
MFG APPR.		A		
Q.A.		SCALE: 1:5	WEIGHT:	SHEET 7 OF 13
COMMENTS:				







5

4

3

2

1



PROPRIETARY AND CONFIDENTIAL
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF <INSERT COMPANY NAME HERE>. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF <INSERT COMPANY NAME HERE> IS PROHIBITED.

		UNLESS OTHERWISE SPECIFIED:	NAME	DATE
		DIMENSIONS ARE IN INCHES	DRAWN	
		TOLERANCES:	CHECKED	
		FRACTIONAL ±	ENG APPR.	
		ANGULAR: MACH ± BEND ±	MFG APPR.	
		TWO PLACE DECIMAL ±	Q.A.	
		THREE PLACE DECIMAL ±	COMMENTS:	
		INTERPRET GEOMETRIC TOLERANCING PER:		
		MATERIAL		
NEXT ASSY	USED ON	FINISH		
APPLICATION		DO NOT SCALE DRAWING		








ALUMINUM 0.125" PLATE

TITLE:

EC-NLX20-B-32-20W

SIZE	DWG. NO.	REV
A		

SCALE: 1:4	WEIGHT:	SHEET 8 OF 13
------------	---------	---------------



PROPRIETARY AND CONFIDENTIAL
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF <INSERT COMPANY NAME HERE>. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF <INSERT COMPANY NAME HERE> IS PROHIBITED.

		UNLESS OTHERWISE SPECIFIED:	NAME	DATE
		DIMENSIONS ARE IN INCHES	DRAWN	
		TOLERANCES:	CHECKED	
		FRACTIONAL \pm	ENG APPR.	
		ANGULAR: MACH \pm BEND \pm	MFG APPR.	
		TWO PLACE DECIMAL \pm	Q.A.	
		THREE PLACE DECIMAL \pm	COMMENTS:	
		INTERPRET GEOMETRIC TOLERANCING PER:		
		MATERIAL		
		FINISH		
NEXT ASSY	USED ON			
APPLICATION	DO NOT SCALE DRAWING			

SPUN ALUMINUM 0.080"		
TITLE:		
EC-NLX20-B-32-20W		
SIZE	DWG. NO.	REV
A		
SCALE: 1:1	WEIGHT:	SHEET 9 OF 13

5




4

3

2

1

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	EC-NLX20-B-32-20W-SPUN TOP CAP	SPUN ALUMINUM 0.080"	1





PROPRIETARY AND CONFIDENTIAL
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF <INSERT COMPANY NAME HERE>. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF <INSERT COMPANY NAME HERE> IS PROHIBITED.

		UNLESS OTHERWISE SPECIFIED:	NAME	DATE	SPUN ALUMINUM 0.080"	
		DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL ± ANGULAR: MACH ± BEND ± TWO PLACE DECIMAL ± THREE PLACE DECIMAL ±	DRAWN			
		INTERPRET GEOMETRIC TOLERANCING PER:	CHECKED		EC-NLX20-B-32-20W	
		MATERIAL	ENG APPR.			
		FINISH	MFG APPR.		SIZE	DWG. NO.
NEXT ASSY	USED ON		Q.A.		A	
APPLICATION		DO NOT SCALE DRAWING	COMMENTS:		SCALE: 1:2	WEIGHT:
						SHEET 10 OF 13

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	EC-NLX20-B-32-20W-SPUN CYLINDER FITTER	SPUN ALUMINUM 0.080"	1




ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	EC-NLX20-B-32-20W-SPUN CYLINDER FITTER TOP	SPUN ALUMINUM 0.080"	1




PROPRIETARY AND CONFIDENTIAL
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF <INSERT COMPANY NAME HERE>. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF <INSERT COMPANY NAME HERE> IS PROHIBITED.

		UNLESS OTHERWISE SPECIFIED:		NAME	DATE
		DIMENSIONS ARE IN INCHES		DRAWN	
		TOLERANCES:		CHECKED	
		FRACTIONAL ±		ENG APPR.	
		ANGULAR: MACH ± BEND ±		MFG APPR.	
		TWO PLACE DECIMAL ±		Q.A.	
		THREE PLACE DECIMAL ±		COMMENTS:	
		INTERPRET GEOMETRIC TOLERANCING PER:			
		MATERIAL			
		FINISH			
NEXT ASSY	USED ON				
APPLICATION		DO NOT SCALE DRAWING			

SPUN ALUMINUM 0.080"		
TITLE:		
EC-NLX20-B-32-20W		
SIZE	DWG. NO.	REV
A		
SCALE: 1:2.5	WEIGHT:	SHEET 11 OF 13





**3/8" X 12" LONG
ANCHOR BOLT SIZE**