#### MCKINLEY LED SERIES

McKinley LED Wall Sconce features a Luminous Diffuser in Acrylic, Commercial Milled Square Bar Design, ADA Compliant

Catalog #	Туре
Project	
Comments	Date
Prepared By	

# **EVERGREEN LIGHTING**

## SPECIFICATION FEATURES

## Material

Aluminum Square Bar construction milled for high quality appearance, standard powdercoat finish, P95 white smooth acrylic half cylinder lens, .125 thick, with open top and bottom.

Option: Wet Location with top and bottom lens, or with solid metal top cap.

# Installation

Supplied with standard mounting hardware to mount to a 4" J-box or plaster ring

## **Optics**

Contact Evergreen Lighting for complete photometrics.

### LED

Alta #AL-R-1W-30 LED array to be mounted onto an Aluminum MPCB Board configured to the proper wattage.

The LED arrays will be centered within the Lens area and mounted on a decorative white aluminum reflective plate.

#### Driver

Specific Drivers will be matched with each different LED array configuration/wattage. Standard Driver features are:

- Constant Current
- 5 year warranty
- 120/277 multi-voltage power supplies
- IP66, IP67



10"H X 6"W X 4"D 15"H X 9"W X 4"D 20"H X 10"W X 5 1/2"D

## **McKinley Series**

Labels ETL for US and Canada for damp or wet location

## ORDERING INFORMATION

