

WHITNEY LED SERIES

Whitney LED Wall Sconce features a Luminous Diffuser in Acrylic, Commercial Milled Square Bar Design, ADA Compliant

Catalog #		Type
Project		
Comments		Date
Prepared By		

EVERGREEN LIGHTING

SPECIFICATION FEATURES

Material

Aluminum Square Bar construction milled for high quality appearance, standard powdercoat finish, P95 white smooth acrylic half cylinder lens, .125 thick, with open top and bottom. Option: Wet Location with top and bottom lens, or with solid metal top cap.

Installation

Supplied with standard mounting hardware to mount to a 4" J-box or plaster ring

Optics

Contact Evergreen Lighting for complete photometrics.

LED

Alta #AL-R-1W-30 LED array to be mounted onto an Aluminum MPCB Board configured to the proper wattage. The LED arrays will be centered within the Lens area and mounted on a decorative white aluminum reflective plate.

Driver

Specific Drivers will be matched with each different LED array configuration/wattage. Standard Driver features are:

- Constant Current
- 5 year warranty
- 120/277 multi-voltage power supplies
- IP66, IP67



10"H X 6"W X 4"D
15"H X 9"W X 4"D
20"H X 10"W X 5 1/2"D

Whitney Series

Labels
ETL for US and
Canada for damp or
wet location

ORDERING INFORMATION

Sample Number: WH-W-15-18W-CH-WF

Series	Style	Size	LED	Finish	Lens	Options
WH	Wall	10" 15" 20"	10" 8W 12W 16W 15" 12W 18W 24W 20" 12W 24W 30W	Architectural Bronze (AB) Textured Bronze (TBR) Matte Black (MBK) Semi Gloss Black (GBK) Textured Black (TBK) Textured Rust (TR) Matte White (MW) Textured White (TW) Gloss White (GW) Metallic Grey (MG) Textured Gold (TG) Metallic Nickel (MN) Textured Verde Patina (TVP) Satin Brass (SB) Copper Vein (CV) Gold Vein (GV) Silver Vein (SV) Polished Brass (PB) Adder Chrome (CH)	White Frosted (WF) White Alabaster (WA) Honey Onyx (HO) Natural Horn (NH) Beige Alabaster (BA) Honey Swirl (HS)	EMR, 700 Lumen EMR, 900 Lumen Dimming Drivers Design Modifications Larger size in ADA Wet Location (Top and Bottom Lens) (Solid Metal Top)
LED to CFL Lamp						
8W = (1) F18DBX						
12W = (2) F13DBX						
16W = (2) F18DBX						
12W = (2) F13DBX						
18W = (2) F18DBX						
24W = (2) F26DBX						
12W = (1) F27BX						
24W = (2) F27BX						
30W = (2) F32TBX						

Evergreen Lighting
www.evergreenlighting.com